

14.5 CC TENDER sealboatsusa.com





14.5 CC Tender with 115-HP Yamaha, 2-stroke outboard motor (4-stroke engines available).



SEAL, which stands for **SEA AL**uminum, aptly describes our all-aluminum, all-welded, finely-crafted boats. SEALTM Boats are tough, rugged, durable, virtually unsinkable and practically indestructible. The design-patented hulls are made of the highest quality marine/aircraft aluminum, and the all-aluminum sponsons are entirely filled with 115 cubic feet of U.S. Coast Guard approved foam flotation. Sharp objects such as knives, cleats, fishing gear, boots, docks, oysters and bottom objects are not a problem for these boats. SEALTM Boats are also incredibly stable and virtually impossible to capsize or flip over. SEALTM Boats bring you all the benefits of inflatables, without all the hassles. SEALTM Boats are self-bailing, and the all-welded aluminum construction requires almost no maintenance. Best of all, SEALTM Boats are beautiful, finely crafted vessels that you'll be proud to own.

Precisely engineered using the most advanced computeraided, perimetric solid modeling, SEALTM Boats are built with the finest marine aluminum metals and the best marine hardware available. The all-aluminum hull is water-jet cut to ensure precise fitting of all parts. The boats feature all-welded construction – no rivets or bolts are used in the hull construction. The SEALTM Tender line has 10-ft., 12-ft. and 14.5-ft. tiller models, plus 14.5-ft and up center console models. SEALTM Boats are available in marine-grade, powder-coating in your color of choice, powder-coating with metallic finish, natural non-coated aluminum and Gator-TuffTM.

The 14.5 CC TENDER is designed for electric start engines. The bench seat has a battery box with on/off switch. The center console has an eight-switch electric panel with circuit breakers that operate the navigation lights, bilge pump, cockpit lights, water pump and electronics. The 14.5 CC TENDER has a 40-gallon fuel tank.

SEALTM Work Boat line is available from 10-ft. to 39-ft. SEALTM Tender line is available from 10-ft. to 20-ft. SEALTM Yacht line is available from 21-ft. to 39-ft.

14.5 CC TENDER

STANDARD EQUIPMENT

- Choice of any marine-grade powder coating
- Standard aluminum rub and grab rails
- Hydraulic lift seat
- 1/2-in. starboard deck surface
- 1-in. starboard bow pulpit
- 1/2-in. starboard aft deck step covers
- 115 cubic feet of Coast Guard approved, 2-pound density foam in all the sponsons (making the boat unsinkable)
- Bilge and deck drain plugs
- 4 SEALTM 1/2-in. dock lines
- 2 SEALTM towels
- Survival and safety package
- 1 front trailer/anchor eye and clevace
- 1 bow-lifting and 2 rear-lifting eyes with clevaces
- Built-in 40-gallon aluminum fuel tank
- Racor fuel/water separator filter
- Teleflex Seastar hydraulic steering system
- 316-stainless-steel rub rail protectors
- Self-bailing, sealed deck
- Aluminum propeller

PLUMBING SYSTEM

- 1250 GPH bilge pump with automatic switch
- Water pump/freshwater washdown
- Built-in 9-gallon aluminum water tank
- Water spigot in seat
- 15' wash-down spray hose in console

LIGHTING SYSTEM

- Accon bow and stern navigation lights
- 6 interior LED cockpit lights in seat and console
- 2 rear exterior LED step lights

ELECTRICAL SYSTEM

- Battery in seat box
- 12-volt marine electrical panel with 8 switches and circuit breaker: navigation lights switch, bilge pump switch, cockpit lights switch, water pump, stereo, VHF
- 30 AMP main circuit breaker
- On/off switch with lock
- Yamaha multi-function gauge
- Yamaha tach gauge



Battery box inside bench seat with on/off switch.

INTERIOR FINISH

■ 1/2" dolphin grey starboard decking (other colors available)

DECK HARDWARE & EXTERIOR EQUIPMENT

- 316-stainless-steel gas fill
- 316-stainless-steel water fill
- 4 316-stainless-steel lift clevaces
- 2 Armstrong rear round hatch covers
- Compass
- 2 SEALTM-logo aluminum rear hatches
- 1 SEALTM-logo powder-coated front chest plate

OPTIONAL EQUIPMENT

- Bimini top in any Sunbrella[™] color (includes flag and pole)
- Radar arch (includes flag and pole)
- Fishing rod holders
- Rolls Axle trailer with magnesium wheels
- Trailer boat tie-downs
- Metallic powder coat
- Fenders
- Stainless steel propeller
- Hand-made teak bow pulpit
- Stainless steel anchor on bow pulpit
- Extra dock lines
- SEALTM carpet
- SEAL[™] floor mats
- Seat cushion
- Seat back, armrest and cushions
- AM/FM CD player stereo system
- VHF Radio
- Compass
- High-polished aluminum front chest plate



The center console has an 8-switch electric panel with circuit breakers, Teleflex hydraulic tilt steering system and optional stereo and compass.

14.5 CC TENDER



14.5 CC Tender features long-lasting powder coat, aluminum rub and grab rails and SEAL™-logo aluminum chest plate.

14.5 CC TENDER Specifications

Boat length
LOA with 115 HP Yamaha motor & bow pulpit 16.90'
Boat beam with rub rail
Draft with fuel, water & engine ±14"
Displacement
Tube volume
Foam capacity (4,410 lbs. of foam flotation) 70 cubic ft. Bilge pump capacity
Fuel capacity
Water capacity
Maximum horse power
Maximum weight capacity
Hull weight with battery
Hull weight + engine + fuel & water
115 HP Yamaha 2-stroke engine weight
1730S Rolls Axle trailer weight





6025 Palmer Boulevard Sarasota, Florida 34232 941-993-2030 boatpfd@comcast.net sealboatsusa.us