



14.5 SS TENDER

TILLER



All Aluminum ★ All Welded ★ Unsinkable ★ Tough & Rugged ★ Low Maintenance

“The Last Tender You Will Ever Need to Buy!”



14.5 SS Tender with 50-HP Yamaha tiller 4-stroke outboard motor.

SEAL™ BOATS USA

SEAL, which stands for **SEA AL**uminum, aptly describes our all-aluminum, all-welded, finely-crafted boats. SEAL™ Boats are tough, rugged, durable, virtually unsinkable and practically indestructible. The design-patented hulls are made of the highest quality marine/aircraft aluminum, and the all-aluminum sponsons are entirely filled with 115 cubic feet of U.S. Coast Guard approved foam flotation. Sharp objects such as knives, cleats, fishing gear, boots, docks, oysters and bottom objects are not a problem for these boats. SEAL™ Boats are also incredibly stable and virtually impossible to capsize or flip over. SEAL™ Boats bring you all the benefits of inflatables, without all the hassles. SEAL™ Boats are self-bailing, and the all-welded aluminum construction requires almost no maintenance. Best of all, SEAL™ Boats are beautiful, finely crafted vessels that you'll be proud to own.

Precisely engineered using the most advanced computer-aided, perimetric solid modeling, SEAL™ Boats are built with the finest marine aluminum metals and the best marine

hardware available. The all-aluminum hull is water-jet cut to ensure precise fitting of all parts. The boats feature all-welded construction – no rivets or bolts are used in the hull construction. The SEAL™ Tender line has 10-ft., 12-ft. and 14.5-ft. tiller models, plus 14.5-ft and up center console models. SEAL™ Boats are available in marine-grade, powder-coating in your color of choice, powder-coating with metallic finish, natural non-coated aluminum and Gator-Tuff™.

The 14.5 SS TENDER is designed for electric start engines. The bench seat has a battery box with on/off switch, built-in electric fuel gauge, and automatic bilge pump. The 14.5 SS TENDER has a 40-gallon fuel tank and ample storage below deck.

SEAL™ Work Boat line is available from 10-ft. to 39-ft.
SEAL™ Tender line is available from 10-ft. to 20-ft.
SEAL™ Yacht line is available from 21-ft. to 39-ft.

14.5 SS TENDER TILLER

STANDARD EQUIPMENT

- Choice of any marine-grade powder coating
- Standard aluminum rub and grab rails
- Hydraulic lift seat
- 1/2-in. starboard deck surface
- 1-in. starboard bow pulpit
- 1/2-in. starboard aft deck step covers
- 115 cubic feet of Coast Guard approved, 2-pound density foam in all the sponsons (making the boat unsinkable)
- Bilge and deck drain plugs
- 4 SEAL™ 1/2-in. dock lines
- 2 SEAL™ towels
- Survival and safety package
- 1 front trailer/anchor eye and cleave
- 1 bow-lifting and 2 rear-lifting eyes with cleaves
- Built-in 40-gallon aluminum fuel tank
- Racor fuel/water separator filter
- 316-stainless-steel rub rail protectors
- Self-bailing, sealed deck
- Aluminum propeller

PLUMBING SYSTEM

- 1250 GPH bilge pump
- Water pump/freshwater washdown
- Built-in 9-gallon aluminum water tank
- Water spigot in seat

LIGHTING SYSTEM

- Accon bow and stern navigation lights
- 4 interior LED cockpit lights
- 2 rear LED step lights

ELECTRICAL SYSTEM

- Built-in battery in seat box
- On/off switch with lock
- Automatic bilge pump
- Electric fuel gauge
- 30-amp master circuit breaker

INTERIOR FINISH

- 1/2" dolphin gray starboard decking (other colors available)

DECK HARDWARE & EXTERIOR EQUIPMENT

- 316-stainless-steel gas fill
- 316-stainless-steel water fill
- 4 316-stainless-steel lift cleaves
- 2 Armstrong rear round hatch covers
- 2 SEAL™-logo aluminum rear hatches
- 1 SEAL™-logo powder-coated front chest plate

OPTIONAL EQUIPMENT

- Bimini top in any Sunbrella™ color (includes flag and pole)
- Radar arch (includes flag and pole)
- Fishing rod holders
- Rolls Axle trailer with magnesium wheels
- Trailer boat tie-downs
- Metallic powder coat
- Fenders
- Stainless steel propeller
- Hand made teak bow pulpit
- Stainless steel anchor on bow pulpit
- Extra dock lines
- SEAL™ carpet
- SEAL™ floor mats
- Seat cushion
- High-polished aluminum front chest plate



Built-in battery in seat box with on/off switch, fuel gauge and hydraulic lift seat top.



Optional seat cushion.

14.5 SS TENDER TILLER



14.5 SS Tender with anodized aluminum powder coating and SEAL™ logo high-polished aluminum chest plate.

14.5 SS TENDER Specifications

Boat length	14.50'
Overall length with bow pulpit	15.83'
LOA with 50 HP Yamaha motor & bow pulpit	16.90'
Boat beam with rub rail	7.50'
Transom height	20"
Draft with fuel, water & engine	±12"
Displacement	7,234 lbs. / 115.92 cubic ft.
Tube diameter	23"
Tube volume	70 cubic ft.
Foam capacity (4,410 lbs. of foam flotation)	70 cubic ft.
Bilge pump capacity	1,250 GPH
Fuel capacity	40 gallons
Water capacity	9 gallons
Maximum horse power	50 HP
Maximum persons	4 persons or 745 lbs. total
Maximum weight capacity	1,447 lbs.
Hull weight with battery	1,400 lbs.
Hull weight + 50 HP Yamaha 4-stroke engine	1,646 lbs.
Hull weight + engine + fuel & water	1,989 lbs.
50 HP Yamaha 4-stroke engine weight	246 lbs.
W1730S Rolls Axle trailer weight	430 lbs.



6025 Palmer Boulevard
 Sarasota, Florida 34232
 941-993-2030
 boatpfd@comcast.net
 sealboatsusa.us